





# Made for people to make more.

The EBB26 is a drill designed to enhance its users. A drill engineered to enable operators to move faster, make fewer errors, perform better and ultimately achieve more.

# Made for people to make more

#### BOOSTING OPERATOR PRODUCTIVITY IN DRILLING


In airframe assembly, 35% of holes are drilled using handheld tools. Yet, handheld drilling accounts for up to 65% of assembly cost, 85% of quality issues, and 80% of lost time due to injury.\*

There's an opportunity to improve efficiency and increase total aerospace output by addressing the root cause of this problem: the productivity of aerospace operators.

To do this, we need to look at human productivity in a new light. Instead of rejecting or attempting to eliminate the human factor, we need to embrace it. That's why we created the EBB26 – a drill designed to enhance its users. Made for people to make more.

\* Aerospace industry expert

**DESIGNED TO IMPROVE** 



### **GOING ELECTRIC**

The EBB26 is our first electric handheld drill. It is designed to transform assembly line flow. It is engineered to enable operators to move faster, make fewer errors, perform better and ultimately achieve more.

2,1 Ah 18

## Features





## **OPERATOR MOBILITY**

CORDLESS & BATTERY-DRIVEN

ONE TOOL, MULTIPLE SPEEDS

SMALL SIZE & SHORT HANDLE

## **OPERATOR** ACCURACY

CONSTANT SPEED & 2-STEP TRIGGER

CUTTER USAGE

A MORE PRECISE CHUCK

### **OPERATOR PERFORMANCE**

LIGHTWEIGHT

**REDUCED NOISE** 

TOOL OPTIMIZED FOR DRILLING

a cole counter intering interv

## Comparison table

							~~ <sup>31</sup>	~ <u>~</u>	oro
	EBB26-055	Chuck	5	•		•			8432 0000 00
	EBB26-055-U	Threaded shaft	5	•		•			8432 0000 10
STANDARD	EBP26-055	Modular	5	•		•		0	8432 0000 20
	EBB26-055-P	Chuck	5					•	8432 0001 00
	EBB26-055-P-U	Threaded shaft	5	•	•	•	•		8432 0001 10
PLUS	EBP26-055-P	Modular	5	•	•	•	•	•	8432 0001 20
	EBB26-055-L	Chuck	1	•					8432 0002 00
	EBB26-055-L-U	Threaded shaft	1						8432 0002 10
LITE	EBP26-055-L	Modular	1	•					8432 0002 20
	LITE - STANDARD								8432 0009 00
Upgrade kits	LITE - PLUS								8432 0009 01
	STANDARD - PLUS								8432 0009 02

	Speed range: 1000 – 5500Rpm   Weight with battery: 1,2Kg – 2,6Lb   Chuck capacity: 6,5mm							
All tool models	TTS2 user edition Electronic delivery	8092 1714 10						
	TTS2 user edition Physical delivery	8092 1714 11						
	Multicharger 18V – 36V, all regions	4211 5424 85						
	Model         Current (V)         Electric charge (Ah)         Weight         Charge time (min)           Battery         Li-lon flat pack         18         2.1         0.47 kg         35           1.04 lb         19         104 lb         104 lb	4211 5500 10						
	Installation service by certified technicians	EasyStart						
	Maintenance contract ToolCover Protect Contact our loca	/Stability/Uptime al service center for details						
	Atlas Copco AB, (publ) SE-105 23 Stockholm, Sweden Phone: +46 8 743 80 00							

Atlas Copco

(publ) SE-105 23 Stockholm, Swed Phone: +46 8 743 80 00 Reg. no: 556014-2720

atlascopco.com