COMPRESSOR DATA SHEET

Federal Uniform Test Method for Certain Air Compressors Not Applicable Rotary Compressor: Fixed Speed

MODEL DATA - FOR COMPRESSED AIR 1 Manufacturer: Atlas Copco 03-08-2022 GA 180-6.9 Date: Model Number: ✓ Air-cooled Water-cooled 2 Screw Type: ✓ Oil-injected Oil-free # of Stages: 1 Rated Capacity at Full Load Operating 3* 1,265.3 (acfm) *(a,e) Pressure*(a,e) 4 Full Load Operating Pressure*(b) 100.0 psig*(b) 5 Maximum Full Flow Operating Pressure*(c) 107.3 psig*(c) 6 120.7 & 120.7 Drive Motor Nominal Rating hp 7 Drive Motor Nominal Efficiency 96.2 & 96.2 percent 3.0 & 3.0 & 8 Fan Motor Nominal Rating (if applicable) hp 3.0 79.9 & 79.9 & 9 Fan Motor Nominal Efficiency percent 79.9 10* Total Package Input Power at Zero Flow*(e) 47.5 kW*(e) Total Package Input Power at Rated Capacity 11 196.1 kW*(d)and Full Load Operating Pressure*(d) Specific Package Input Power at Rated Capacity 12* 15.5 kW/100 cfm*(e) and Full Load Operating Pressure*(e)

Consult CAGI website for a list of participants in the third party verification program:

www.cagi.org

Notes:

- Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex C; ACFM is actual cubic feet per minute at inlet conditions.
- b. The operating pressure at which the Capacity (Item 3) and Electrical Consumption (Item 11) were measured for this data sheet.

*For models that are tested in the CAGI Performance Verification Program, these items are verified by program administrator

Member

- for this data sheet.

 No Load Power. In accordance with ISO 1217, Annex E, if measurement of no load power equals less than 1%,
- manufacturer may state "not significant" or "0" on the test report.

 d. Total package input power at other than reported operating points will vary with control strategy.
- i. Total package input power at other than reported operating points will vary with control strate
- e Tolerance is specified in ISO 1217, Annex E, as shown in table below:

NOTE: The terms "power" and "energy" are synonymous for purposes of this document.

| Volume Flow Rate | | | Specific Energy | No Load / Zero |
|-------------------------|------------------|------------------|-----------------|----------------|
| at specified conditions | | Volume Flow Rate | Consumption | Flow Power |
| <u>m3 / min</u> | <u>ft3 / min</u> | % | % | |
| Below 0.5 | Below 15 | +/- 7 | +/- 8 | |
| 0.5 to 1.5 | 15 to 50 | +/- 6 | +/- 7 | +/- 10 |
| 1.5 to 15 | 50 to 500 | +/- 5 | +/- 6 | |
| Above 15 | Above 500 | +/- 4 | +/- 5 | |

ROT 030.2

This form was developed by the Compressed Air and Gas Institute for the use of its members. CAGI has not independently verified the reported data.

12/19 Rev 3