	Federal Unifor			Air Compressors Not	Applicable
		Rotary Con MODEL DATA -	-	-	
1	Manufacturer:	Atlas Copco			
	Model Number:	GA 355	5-8.6	Dat	te: 07-06-2020
2	✓ Air-cooled	Water-co	oled	Typ	e: Screw
	✓ Oil-injected	Oil-free		# of Stage	es: 1
3*	Rated Capacity at Full Load Operating Pressure*(a,e)		1,987.6	(acfm) *(a,e)	
4	Full Load Operating Pressure*(b)		125.0	psig*(b)	
5	Maximum Full Flow Operating Pressure*(c)		132.0	psig*(c)	
6	Drive Motor Nominal Rating		442.5	hp	
7	Drive Motor Nominal Efficiency		96.2	percent	
8	Fan Motor Nominal Rating (if applicable)		20.0	hp	
9	Fan Motor Nominal Efficiency		86.0	percent	
10*	Total Package Input Power at Zero Flow*(e)		w*(e)	100.8	kW*(e)
11	Total Package Input Power at Rated Capacity and Full Load Operating Pressure*(d)			362.4	kW*(d)
12*	Specific Package Input Power at Rated Capacity and Full Load Operating Pressure*(e)			18.2	kW/100 cfm*(e)
	*For models that are tested in	the CAGI Performance V	erification Prog	ram, these items are verified by	y program administrator
Notes: Member	 Consult CAGI website for a list of participants in the third party verification program: www.cagi.org a. Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex C; ACFM is actual cubic feet per minute at inlet conditions. b. The operating pressure at which the Capacity (Item 3) and Electrical Consumption (Item 11) were measured 				
AGI	for this data sheet. c. No Load Power. In manufacturer may st	accordance with ISO 1217 ate "not significant" or "0	7, Annex E, if m " on the test rep	easurement of no load power	equals less than 1%,
ed Air & Gas Institute	-	d in ISO 1217, Annex E, a power" and "energy" are s		e below: purposes of this document.	
	Volume Flow Rate at specified conditions Vol		Velow P	Specific En	
	at specified <u>m3 / min</u>	ft3 / min	Volume F		ion Flow Power
	Below 0.5	Below 15	+/-		
	0.5 to 1.5	15 to 50 +/-			+/- 10
	1.5 to 15 50 to 500 +/ Above 15 Above 500 +/		+/-	5 +/- 6	
030.2			4 +/- 5		