	Federal Unifor		SSOR DATA SI r Certain Air C	HEET ompressors Not A <sub>l</sub>	oplicable
		<b>Rotary Com</b>	pressor: Fixed	Speed	
	1	MODEL DATA -	FOR COMPRI	ESSED AIR	
1	Manufacturer:	Atlas Copco			
	Model Number	ZR 30-	7.5	Date:	06-28-2021
2	Air-cooled	✔ Water-co	oled	Type:	Tooth
	Oil-injected	✓ Oil-free		# of Stages:	2
3*	Rated Capacity at Full Load Operating Pressure*(a,e)			172.5	(acfm) *(a,e)
4	Full Load Operating Pressure*(b)			108.8	psig*(b)
5	Maximum Full Flow Operating Pressure*(c)		re*(c)	108.8	psig*(c)
6	Drive Motor Nominal Rating			40.2	hp
7	Drive Motor Nominal Efficiency			93.6	percent
8	Fan Motor Nominal Rating (if applicable)		ole)		hp
9	Fan Motor Nominal Efficiency				percent
10*	Total Package Input Power at Zero Flow*(e)		w*(e)	8.2	kW*(e)
11	Total Package Input Power at Rated Capacity and Full Load Operating Pressure*(d)			35.6	kW*(d)
12*	Specific Package Input Power at Rated Capacity and Full Load Operating Pressure*(e)			20.7	kW/100 cfm*(e)
	For models that are tested in	the CAGI Performance Ve	erification Program, the	ese items are verified by pro	gram administrator
Notes:	Consult CAGI website for a list of participants in the third party verification program: www.cagi.org   a. Measured at the discharge terminal point of the compressor package in accordance with   ISO 1217, Annex C; ACFM is actual cubic feet per minute at inlet conditions.				
Member	<ul><li>b. The operating pressure at which the Capacity (Item 3) and Electrical Consumption (Item 11) were measured for this data sheet.</li><li>c. No Load Power. In accordance with ISO 1217, Annex E, if measurement of no load power equals less than 1%,</li></ul>				
AGI ssed Air & Gas Institute	<ul><li>d. Total package input</li><li>e Tolerance is specific</li></ul>	tate "not significant" or "0" power at other than reported an ISO 1217, Annex E, a power" and "energy" are sy	ed operating points wil as shown in table below		
	Volume Flow Rate			Specific Energy	
	at specified <u>m3 / min</u>	conditions <u>ft3 / min</u>	Volume Flow Ra	te Consumption %	Flow Power
	Below 0.5	Below 15	+/- 7	+/- 8	
Г 030.2	0.5 to 1.5   15 to 50     1.5 to 15   50 to 500		+/- 6	+/- 7	+/- 10
			+/- 5	- 5 +/- 6	
	Above 15	Above 500 +/		+/- 5	