	Ro	COMPRESSOR DA Test Method for Certain tary Compressor: Variab	Air Compressors Not A le Frequency Drive	pplicable
1	Manufacturer:	ODEL DATA - FOR CO	MPRESSED AIR	
1		Atlas Copco		01.06.0004
2	Model Number: ZR 132 VSD+-13		Date:	01-06-2024
	Air-cooled Water-cooled		Type:	Screw
		✓ Oil-free	# of Stages:	2
3	Full Load Operating Pressure*(b)		188.5	psig*(b)
4	Drive Motor Nominal Rating		87.2 & 87.2	hp
5	Drive Motor Nominal Efficiency		97.0 & 97.0	percent
6	Fan Motor Nominal Rating (if applicable)			hp
7	Fan Motor Nominal Efficiency			percent
8*	Input Power (kW)		Capacity (acfm) *(a,d)	Specific Power (kW/100 acfm)*(d)
	137.4 Max		603.2	22.8
	115.4		492.5	23.4
	94.3		381.7	24.7
	72.8		271.0	26.9
0.1	50.		160.2	31.7
9*	Total Package Input	Power at Zero Flow*(c,d)	0.0	kW
10	Specific Power (kW/100ACFM) <sup>22</sup>			
	10 10 200 300 400 500 600 700 Capacity (ACFM)			
*For mo Notes: Member	Consult CAGI website for a a. Measured at the discha ISO 1217, Annex E; au b. The operating pressure c. No Load Power. In ac manufacturer may stat d. Tolerance is specified	GI Performance Verification Pr- list of participants in the third pa rge terminal point of the compressor packa fm is actual cubic feet per minute at inlet c at which the Capacity and Electrical Const cordance with ISO 1217, Annex E, if meas e "not significant" or "0" on the test report. in ISO 1217, Annex E, as shown in table be wer" and "energy" are synonymous for pur	arty verification program: ge in accordance with onditions. Imption were measured for this data sheet rrement of no load power equals less than low:	www.cagi.org
Compressed Air & Gas Institut	Volume Flow Rate		ne Flow Rate Consumption	
	<u>m3 / min</u>	<u>ft3 / min</u>	% %	
	Below 0.5	Below 15	+/- 7 +/- 8	
	0.5 to 1.5	15 to 50	+/- 6 +/- 7	+/- 10
	1.5 to 15	50 to 500	+/- 5 +/- 6	1