	Federal Uniform	n Test Method fo Rotary Cor		Air Compressors Not A ixed Speed	Applicable
		MODEL DATA -	_	-	
1	Manufacturer:	Atlas Copco			
	Model Number:	ZT 55 ST	D-10.4	Date	07-22-2021
2	Air-cooled	Water-co	ooled	Туре	Screw
	Oil-injected	✓ Oil-free		# of Stages	2
3*	Rated Capacity at Full Load Operating Pressure*(a,e)		5	295.2	(acfm) *(a,e)
4	Full Load Operating Pressure*(b)			150.0	psig*(b)
5	Maximum Full Flow Operating Pressure*(c)		ure*(c)	150.8	psig*(c)
6	Drive Motor Nominal Rating			73.8	hp
7	Drive Motor Nominal Efficiency			95.8	percent
8	Fan Motor Nominal Rating (if applicable)		ble)	0.0	hp
9	Fan Motor Nominal Efficiency			91.7	percent
10*	Total Package Input	Package Input Power at Zero Flow*(e)		17.7	kW*(e)
11	Total Package Input Power at Rated Capacity and Full Load Operating Pressure*(d)			72.6	kW*(d)
12*	Specific Package Input Power at Rated Capacity and Full Load Operating Pressure*(e)			24.6	kW/100 cfm*(e)
	*For models that are tested in t	he CAGI Performance V	verification Progr	am, these items are verified by p	program administrator
Notes:	Consult CAGI website for a list of participants in the third party verification program: www.cagi.or a. Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex C; ACFM is actual cubic feet per minute at inlet conditions.				
Member	b. The operating pressure at which the Capacity (Item 3) and Electrical Consumption (Item 11) were measured for this data sheet.				
AGI sed Air & Gas Institute	 manufacturer may sta d. Total package input p e Tolerance is specified 	tte "not significant" or "(bower at other than repor d in ISO 1217, Annex E,)" on the test reported operating point as shown in table	nts will vary with control strateg	
	Volume Flow Rate			Specific Ener	gy No Load / Zero
	at specified conditions		Volume Fl	1	n Flow Power
	<u>m3 / min</u> Below 0.5	<u>ft3 / min</u> Below 15	%		
	0.5 to 1.5 15 to 50 + 1.5 to 15 50 to 500 +		+/-		+/- 10
			+/-		
030.2			+/-	4 +/- 5	